



Corporaziun d'aua
Trun
7166 Trun

Trun, ils 15/03/2022

Informaziun sur dall'aua da beiber

Qualitad aua da beiber: Corporaziun d'aua Trun

Provediment: Trun, Pustget, Gravas, Darvella, Tiraun, Zignau, Lumneins, Caltgadira, Campadi Ogna
zirca 1000 habitonts

Giudicament higienic: Nossas emprovas pridas ils 01.06.2021 correspundan allas pretensiuns per aua da beiber.

Giudicament chemic-fisical: Resultats dallas emprovas tier diversas tschaffadas dils 01.06.2021

Parameter	471474 Fontauna a Acladira	471470 Fontauna a Tiraun	471469 Fontauna a Zignau	471473 Fontauna a Lumneins	47471 Fontauna Carigiet a Trun	47472 Fontauna Campadi a Trun	
Temperatura	8.8	14.4	11.1	9.3	9.3	10.2	°C
Gesamthärte	6.71	7.42	10.05	10.8	6.95	6.93	fH°
Nitrart	3.29	3.24	2.87	1.58	3.04	3.01	Pretensiun max.40mg/l
Resthärte	1.71	1.62	1.75	1.97	1.65	1.53	fH°
Säureverbr.	5.0	5.8	8.3	8.8	5.3	5.4	fH°
Calcium	24.1	26.7	37.5	40.5	25.0	24.9	mg/l
Magnesium	1.69	1.82	1.7	1.62	1.74	1.72	mg/l

Derivonza dalla aua : 100% dall' aua deriva dallas tschaffadas

a) Trun

- Val Zuorden
- Plaun Faletga
- Val Punteglias
- Crusch/Acla (davos e sut rempar Val Punteglias)

b) Zignau 100% dall' aua deriva da 4 tschaffadas sur Plaun dil Bert

c) Lumneins 100% dall'aua deriva da 2 tschaffadas Val dil Boden/Muntatsch

Tractament dalla aua:

- Val Zuorden, Plaun Faletga, Crusch, Plaun dil Bert, Val dil Boden, Muntatsch negin tractament
- Val Punteglias: tractament cun radis ultraviolets e mesiraziun dalla tuorbladat dall'aua

Ulteriur scolariment: Corporaziun d'aua Trun
7166 Trun

president: 081 943 25 78 / 079 417 49 57 Mattias Cadruvi

caufontaua: 081 920 25 07 / 079 122 22 66 Roland Bearth